

acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1.3 Details of the supplier of the safety data sheet

i-Team Hoppenkuil 27B 5626 DD Eindhoven Netherlands

Telephone: +31 40 266 24 50 e-mail: sds@i-teamglobal.com Website: www.i-teamglobal.com

e-mail (competent person)

sds@i-teamglobal.com

1.4 Emergency telephone number

Emergency information service

Only for DOCTORS / FIRE BRIGADE / POLICE: +31402662450

This number is only available during office hours.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
4.1A	A hazardous to the aquatic environment - acute hazard		Aquatic Acute 3	H402

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- signal word Warning

- pictograms

GHS07



- hazard statements

H316 Causes mild skin irritation.
H319 Causes serious eye irritation.
H402 Harmful to aquatic life.

China: en Page: 1 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)
Revision: 28.10.2020

- precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Demineralised water	CAS No 7732-18-5	>70			
2-(2-ethoxyethoxy)eth- anol	CAS No 111-90-0	8,37			
ethanol	CAS No 64-17-5	< 10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		IARC: 1
Triethanolamine	CAS No 102-71-6	< 10			
Glycereth cocoate		0,355 - 1,42			
Alkyl ether carboxylic acid, sodium salt	CAS No 33939-64-9	0,265 – 1,06	Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
Polyoxyethylene alkyl ether	CAS No 9002-92-0	0,265 - 1,06	Acute Tox. 4 / H302 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		
N,N-dimethyldec-9-en- amide	CAS No 1356964-77-6	1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 2 / H401 Aquatic Chronic 3 / H412	1>	
Sodium N-methyl-N-(1- oxotetradecyl)amino- acetate	CAS No 30364-51-3	0,1625 - 0,325	Acute Tox. 5 / H313 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Acute 2 / H401		
2-Phenoxyethanol	CAS No 122-99-6	0,2949 - 0,296	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	1>	

China: en Page: 2 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
2-n-Butyl-benzo[d]iso- thiazol-3-one	CAS No 4299-07-4	0,00255 - 0,00 345	Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!)	
N-(3-aminopropyl)-N- dodecylpropane-1,3- diamine	CAS No 2372-82-9	0,00117 - 0,00 159	Flam. Liq. 4 / H227 Acute Tox. 3 / H301 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		
1,2-benzisothiazol- 3(2H)-one	CAS No 2634-33-5	0,0001222 - 0, 001223	Acute Tox. 4 / H302 Acute Tox. 5 / H313 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	<u>*</u>	

Notes

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a POISON CENTER or doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

China: en Page: 3 / 16



acc. to GB/T 17519

E.73

Version number: 2.0 Revision: 28.10.2020 (1)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Equipment required for containment/clean-up

Absorbent material (e.g. sand, diatomaceous earth, acid binder, universal binder, sawdust, etc.)

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

China: en Page: 4 / 16



acc. to GB/T 17519

E.73

Version number: 2.0 Revision: 28.10.2020 (1)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

High temperatures. Frost. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection

Protective clothing - protection against liquid chemicals.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0,35 mm.

China: en Page: 5 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)
Revision: 28.10.2020

- breakthrough times of the glove material
- Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).
- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid	
Colour	various	
Odour	characteristic	

Other safety parameters

pH (value)	not determined
Melting point/freezing point	not determined
Initial boiling point and boiling range	64,7 °C at 1.013 hPa
Flash point	>100 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)

Explosive limits

- lower explosion limit (LEL)	2,5 vol%
- upper explosion limit (UEL)	13,5 vol%
Vapour pressure	169,3 hPa at 25 °C
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined

Partition coefficient

- n-octanol/water (log KOW)	this information is not available
-----------------------------	-----------------------------------

China: en Page: 6 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Auto-ignition temperature	240 °C (auto-ignition temperature (liquids and gases))		
Viscosity	not determined		
Explosive properties	none		
Oxidising properties	none		

9.2 Other information

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture Name of substance **CAS No Exposure route** ATE $500 \frac{\text{mg}}{\text{kg}}$ 9002-92-0 Polyoxyethylene alkyl ether oral $550 \frac{\text{mg}}{\text{kg}}$ N,N-dimethyldec-9-enamide 1356964-77-6 oral 11 ^{mg}/_l/4h N,N-dimethyldec-9-enamide 1356964-77-6 inhalation: vapour 3,551 ^{mg}/_I/4h N,N-dimethyldec-9-enamide 1356964-77-6 inhalation: dust/mist $2.000 \frac{mg}{kg}$ Sodium N-methyl-N-(1-oxotetradecyl)aminoacetate 30364-51-3 dermal

China: en Page: 7 / 16



acc. to GB/T 17519



E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)
Revision: 28.10.2020

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
2-Phenoxyethanol	122-99-6	oral	1.840 ^{mg} / _{kg}
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	oral	100 ^{mg} / _{kg}
1,2-benzisothiazol-3(2H)-one	2634-33-5	oral	670 ^{mg} / _{kg}
1,2-benzisothiazol-3(2H)-one	2634-33-5	dermal	2.000 ^{mg} / _{kg}

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life.

Aquatic toxicity (acute) of components of the mixture

Addate toxicity (addic) of components of the mixture							
Name of substance	CAS No	Endpoint	Value	Species	Exposure time		
2-(2-ethoxyethoxy)ethanol	111-90-0	LC50	6.010 ^{mg} / _l	fish	96 h		
2-(2-ethoxyethoxy)ethanol	111-90-0	ErC50	>100 ^{mg} / _I	algae	96 h		
2-(2-ethoxyethoxy)ethanol	111-90-0	EC50	>100 ^{mg} / _I	algae	96 h		
2-(2-ethoxyethoxy)ethanol	111-90-0	NOEC	≥100 ^{mg} / _l	algae	96 h		
ethanol	64-17-5	LC50	15.400 ^{mg} / _l	fish	96 h		
ethanol	64-17-5	EC50	12.700 ^{mg} / _l	fish	96 h		
ethanol	64-17-5	ErC50	22.000 ^{mg} / _I	algae	96 h		

China: en Page: 8 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Triethanolamine	102-71-6	LC50	11.800 ^{mg} / _l	fish	96 h
Triethanolamine	102-71-6	EC50	609,9 ^{mg} / _I	aquatic invertebrates	48 h
Triethanolamine	102-71-6	ErC50	512 ^{mg} / _l	algae	72 h
Triethanolamine	102-71-6	growth rate (Er- Cx) 10%	26 ^{mg} / _I	algae	72 h
N,N-dimethyldec-9-enamide	1356964- 77-6	LC50	>7,5 ^{mg} / _I	fish	96 h
N,N-dimethyldec-9-enamide	1356964- 77-6	EC50	2,8 ^{mg} / _l	aquatic invertebrates	48 h
N,N-dimethyldec-9-enamide	1356964- 77-6	ErC50	16,06 ^{mg} / _I	algae	72 h
N,N-dimethyldec-9-enamide	1356964- 77-6	NOEC	7,5 ^{mg} / _l	fish	96 h
N,N-dimethyldec-9-enamide	1356964- 77-6	LOEC	1,8 ^{mg} / _I	algae	72 h
N,N-dimethyldec-9-enamide	1356964- 77-6	growth rate (Er- Cx) 10%	4,17 ^{mg} / _l	algae	72 h
N,N-dimethyldec-9-enamide	1356964- 77-6	growth (EbCx) 10%	23 ^{mg} / _I	algae	96 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	LC50	4,256 ^{mg} / _I	fish	96 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	EC50	2,9 ^{mg} / _I	aquatic invertebrates	48 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	ErC50	13,47 ^{mg} / _I	algae	72 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	NOEC	1,7 ^{mg} / _I	aquatic invertebrates	48 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	LOEC	5,1 ^{mg} / _l	aquatic invertebrates	48 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	growth rate (Er- Cx) 10%	4,448 ^{mg} / _I	algae	72 h
2-Phenoxyethanol	122-99-6	LC50	344 ^{mg} / _I	fish	96 h
2-Phenoxyethanol	122-99-6	EC50	>500 ^{mg} / _I	aquatic invertebrates	48 h
2-Phenoxyethanol	122-99-6	ErC50	>100 ^{mg} / _I	algae	72 h
2-Phenoxyethanol	122-99-6	NOEC	100 ^{mg} / _I	fish	96 h
2-Phenoxyethanol	122-99-6	growth (EbCx) 20%	>500 ^{mg} / _I	algae	72 h
2-Phenoxyethanol	122-99-6	growth rate (Er- Cx) 10%	333 ^{mg} / _I	algae	72 h
N-(3-aminopropyl)-N-dodecylpro- pane-1,3-diamine	2372-82-9	LC50	0,431 ^{mg} / _I	fish	96 h

China: en Page: 9 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	EC50	0,077 ^{mg} / _l	aquatic invertebrates	48 h
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	EbC50	0,01 ^{mg} / _I	algae	72 h
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	ErC50	0,015 ^{mg} / _l	algae	72 h
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	NOEC	0,18 ^{mg} / _I	fish	96 h
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	2372-82-9	LOEC	0,01 ^{mg} / _I	algae	72 h
1,2-benzisothiazol-3(2H)-one	2634-33-5	LC50	16,7 ^{mg} / _l	fish	96 h
1,2-benzisothiazol-3(2H)-one	2634-33-5	EC50	2,94 ^{mg} / _l	aquatic invertebrates	48 h
1,2-benzisothiazol-3(2H)-one	2634-33-5	ErC50	150 ^{µg} / _I	algae	72 h
1,2-benzisothiazol-3(2H)-one	2634-33-5	NOEC	55 ^{μg} / _I	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ethanol	64-17-5	EC50	22,6 ^g / _l	algae	10 d
ethanol	64-17-5	LC50	1.806 ^{mg} / _l	aquatic invertebrates	10 d
ethanol	64-17-5	ErC50	675 ^{mg} / _l	algae	4 d
ethanol	64-17-5	NOEC	250 ^{mg} / _l	fish	120 h
ethanol	64-17-5	growth rate (Er- Cx) 10%	86 ^{mg} / _I	algae	4 d
Triethanolamine	102-71-6	NOEC	16 ^{mg} / _I	aquatic invertebrates	21 d
N,N-dimethyldec-9-enamide	1356964- 77-6	EC50	212,3 ^{mg} / _l	microorganisms	3 h
N,N-dimethyldec-9-enamide	1356964- 77-6	NOEC	≥0,71 ^{mg} / _I	fish	35 d
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	EC50	1.300 ^{mg} / _l	microorganisms	3 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	NOEC	10 ^{mg} / _l	microorganisms	3 h
Sodium N-methyl-N-(1-oxotet- radecyl)aminoacetate	30364-51-3	growth (EbCx) 20%	130 ^{mg} / _l	microorganisms	3 h
2-Phenoxyethanol	122-99-6	EC50	>1.000 ^{mg} / _I	microorganisms	30 min
2-Phenoxyethanol	122-99-6	NOEC	23 ^{mg} / _l	fish	34 d
2-Phenoxyethanol	122-99-6	LOEC	50 ^{mg} / _l	fish	34 d

China: en Page: 10 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
2-Phenoxyethanol	122-99-6	growth (EbCx) 10%	360 ^{mg} / _l	microorganisms	30 min
N-(3-aminopropyl)-N-dodecylpro- pane-1,3-diamine	2372-82-9	EC50	0,034 ^{mg} / _l	aquatic invertebrates	21 d
N-(3-aminopropyl)-N-dodecylpro- pane-1,3-diamine	2372-82-9	NOEC	0,024 ^{mg} / _l	aquatic invertebrates	21 d
N-(3-aminopropyl)-N-dodecylpro- pane-1,3-diamine	2372-82-9	LOEC	0,066 ^{mg} / _l	aquatic invertebrates	21 d
1,2-benzisothiazol-3(2H)-one	2634-33-5	EC50	13 ^{mg} / _l	microorganisms	3 h
1,2-benzisothiazol-3(2H)-one	2634-33-5	NOEC	11 ^{mg} / _l	microorganisms	3 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

China: en Page: 11 / 16





acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not assigned
 14.3 Transport hazard class(es) not assigned
 14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available.

Information for each of the UN Model Regulations

Transport information - national regulations - additional information (UN RTDG)

not assigned

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

National regulations (China)

Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)

Not all ingredients are listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
1.3	Details of the supplier of the safety data sheet: i-Team Hoppenkuil 27B 5626 DD Eindhoven The Netherlands Telephone: +31 40 266 24 50 e-mail: ryan@i-teamglobal.com Website: www.i-teamglobal.com	Details of the supplier of the safety data sheet: i-Team Hoppenkuil 27B 5626 DD Eindhoven Netherlands Telephone: +31 40 266 24 50 e-mail: sds@i-teamglobal.com Website: www.i-teamglobal.com
1.3	e-mail (competent person): ryan@i-teamglobal.com	e-mail (competent person): sds@i-teamglobal.com
2.1		Classification acc. to GHS: change in the listing (table)

China: en Page: 12 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Section	Former entry (text/value)	Actual entry (text/value)
2.2		- pictograms: change in the listing (table)
2.2		- hazard statements: change in the listing (table)
2.2		- precautionary statements: change in the listing (table)
2.2	- hazardous ingredients for labelling: 2-n-Butyl-benzo[d]isothiazol-3-one	
3.2		Mixtures: change in the listing (table)
4.1	Following eye contact: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	Following eye contact: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER/doctor.
5.3	Special protective equipment for firefighters: Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.	Special protective equipment for firefighters: Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.
11.1		Acute toxicity estimate (ATE) of components of the mix- ture: change in the listing (table)
11.1	Serious eye damage/eye irritation: Shall not be classified as seriously damaging to the eye or eye irritant.	Serious eye damage/eye irritation: Causes serious eye irritation.
12.1	Toxicity: Very toxic to aquatic life with long lasting effects.	Toxicity: Harmful to aquatic life.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.2	Persistence and degradability	Persistence and degradability: Data are not available.
12.2		Degradability of components of the mixture: change in the listing (table)
12.3	Bioaccumulative potential	Bioaccumulative potential: Data are not available.
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)
13.1	Waste treatment of containers/packagings: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Com- pletely emptied packages can be recycled. Handle con- taminated packages in the same way as the substance it- self.	Waste treatment of containers/packagings: Completely emptied packages can be recycled. Handle contaminated packages in the same way as the sub- stance itself.
14.1	UN number: not assigned	UN number: not subject to transport regulations
14.5	Environmental hazards: hazardous to the aquatic environment	Environmental hazards: non-environmentally hazardous acc. to the dangerous goods regulations
14.7	International Maritime Dangerous Goods Code (IMDG): not assigned	International Maritime Dangerous Goods Code (IMDG): Not subject to IMDG.

China: en Page: 13 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Section	Former entry (text/value)	Actual entry (text/value)
14.7	International Civil Aviation Organization (ICAO-IATA/ DGR): not assigned	International Civil Aviation Organization (ICAO-IATA/ DGR): Not subject to ICAO-IATA.
15.1		National regulations (China)
15.1		Inventory of Existing Chemical Substances Produced or Imported in China (IECSC): Not all ingredients are listed.
16		Abbreviations and acronyms: change in the listing (table)
16		List of relevant phrases (code and full text as stated in chapter 2 and 3): change in the listing (table)

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EbC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NOEC	No Observed Effect Concentration

China: en Page: 14 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Abbr.	Descriptions of used abbreviations	
PBT	Persistent, Bioaccumulative and Toxic	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
Skin Sens.	Skin sensitisation	
STOT RE	Specific target organ toxicity - repeated exposure	
STOT SE	Specific target organ toxicity - single exposure	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

General Rule for Classification and Hazard Communication of Chemicals (National Standard GB 13690). National Standard: Safety Data Sheet for Chemical Products - Content and Order of Sections. GB/T 16483. National Standard: Guidance on Compilation of Safety Data Sheet for Chemical Products. GB/T 17519.

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H313	May be harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

China: en Page: 15 / 16



acc. to GB/T 17519

E.73

Version number: 2.0
Replaces version of: 10.07.2020 (1)

Code	Text
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product

China: en Page: 16 / 16