

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|-----------------|---------------------------------------|
| Product form | : Mixture |
| Trade name | : JANGRO PREMIUM TRAFFIC FILM REMOVER |
| UFI | : 5YGF-E0RT-V00H-JSRJ |
| Product code | : BA102-25 |
| Type of product | : Detergent |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

| | |
|----------------------------------|-------------------------------------------------------------------|
| Main use category | : Professional use |
| Industrial/Professional use spec | : For professional use only |
| Use of the substance/mixture | : Vehicle cleaner (passenger cars, trucks, busses, rail vehicles) |

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

JANGRO LIMITED
JANGRO HOUSE
WORSLEY ROAD
FARNWORTH
BOLTON
LANCASHIRE
BL4 9LU
UNITED KINGDOM

JANGRO LTD EUROPE
6-9 TRINITY STREET
DUBLIN 2
D02 EY47
EIRE
Tel: 01 617 7911

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01204 795955

Tel: 01 617 7911

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|--------------------------------------------------------|------|
| Skin corrosion/irritation, Category 1, Sub-Category 1B | H314 |
| Serious eye damage/eye irritation, Category 1 | H318 |
| Full text of H statements : see section 16 | |

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

| | |
|-------------------------|---------------------------------------------------|
| Signal word (CLP) | : Danger |
| Contains | : sodium hydroxide; caustic soda |
| Hazard statements (CLP) | : H314 - Causes severe skin burns and eye damage. |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) :

- P264 - Wash hands thoroughly after handling.
- P280 - Wear eye protection, protective gloves.
- P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P315 - Get immediate medical advice/attention.
- P405 - Store locked up.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------|
| sodium hydroxide; caustic soda substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | 1 – 5 | Skin Corr. 1A, H314 |
| Sodium xylenesulphonate | (CAS-No.) 1300-72-7 (EC-No.) 215-090-9 (REACH-no) 01-2119513350-56 | 1 – 5 | Eye Irrit. 2, H319 |
| Benzenesulphonic acid, mono-C10-14-alkyl derivs., sodium salts | (CAS-No.) 85117-50-6 (EC-No.) 285-600-2 | 1 – 5 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Alcohol Alkoxylate | (CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Sodium laurylether sulphate | (CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16 | 1 – 5 | Eye Dam. 1, H318 Skin Irrit. 2, H315 |
| N,N-dimethyldecylamine N-oxide | (CAS-No.) 2605-79-0 (EC-No.) 220-020-5 (REACH-no) 01-2119959297-22 | 0.1 – 1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|--------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| sodium hydroxide; caustic soda | (CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27 | (0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314 |
| Alcohol Alkoxylate | (CAS-No.) 166736-08-9 (REACH-no) Exempt/Polymer | (1 <C ≤ 10) Eye Irrit. 2, H319 (10 <C < 100) Eye Dam. 1, H318 |
| Sodium laurylether sulphate | (CAS-No.) 68891-38-3 (EC-No.) 500-234-8 (REACH-no) 01-2119488639-16 | (5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318 |

Full text of H-statements: see section 16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First-aid measures general | : Get medical advice/attention if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|-------------------------------------|
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|-------------------------------------|
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. |
|------------------------------|-------------------------------------|

5.2. Special hazards arising from the substance or mixture

| | |
|--------------------------------------------------|----------------------|
| Hazardous decomposition products in case of fire | : Corrosive vapours. |
|--------------------------------------------------|----------------------|

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

| | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

| | |
|----------------------|--------------------------------------------------|
| Protective equipment | : Use personal protective equipment as required. |
|----------------------|--------------------------------------------------|

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---------------------------------------------------------------------------------------------|
| For containment | : Collect spillage. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. |

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Does not require any specific or particular technical measures.
Storage conditions : Keep container closed when not in use.
Incompatible products : Oxidizing agent. Strong acids.
Incompatible materials : Metals.
Special rules on packaging : Keep only in original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| sodium hydroxide; caustic soda (1310-73-2) | |
|------------------------------------------------------|---------------------|
| Ireland - Occupational Exposure Limits | |
| Local name | Sodium hydroxide |
| OEL STEL | 2 mg/m ³ |
| United Kingdom - Occupational Exposure Limits | |
| Local name | Sodium hydroxide |
| WEL STEL (OEL STEL) | 2 mg/m ³ |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

Safety glasses. EN 166

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn

Hand protection:

Chemical resistant gloves (according to European standard EN 374 or equivalent). Nitrile rubber gloves

Other skin protection

Materials for protective clothing:

Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-------------------------------------------------|---------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : red. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| pH | : 12.9 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : ≥ 100 °C |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 1.07 |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| | |
|-----------------------------------|------------------------------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |
| Skin corrosion/irritation | : Causes severe skin burns. pH: 12.9 |
| Serious eye damage/irritation | : Causes serious eye damage. pH: 12.9 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : Not classified |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |

SECTION 12: Ecological information

12.1. Toxicity

| | |
|-----------------------------------------------------------|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

sodium hydroxide; caustic soda (1310-73-2)

| | |
|------------------------------------|---------------------|
| LC50 - Fish [1] | > 35 mg/l |
| EC50 - Other aquatic organisms [1] | > 33 mg/l waterflea |

Sodium xylenesulphonate (1300-72-7)

| | |
|------------------------------------|-----------------------|
| EC50 - Other aquatic organisms [1] | > 1020 mg/l waterflea |
|------------------------------------|-----------------------|

Alcohol Alkoxyate (166736-08-9)

| | |
|----------------------------|---------------|
| LC50 - Fish [1] | 10 – 100 mg/l |
| EC50 - Crustacea [1] | 10 – 100 mg/l |
| ErC50 other aquatic plants | 10 – 100 mg/l |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential**sodium hydroxide; caustic soda (1310-73-2)**

| | |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.88 |
|-------------------------------------------------|-------|

Sodium xylenesulphonate (1300-72-7)

| | |
|-------------------------------------------------|-------|
| Partition coefficient n-octanol/water (Log Pow) | -3.12 |
|-------------------------------------------------|-------|

N,N-dimethyldecylamine N-oxide (2605-79-0)

| | |
|-------------------------------------------------|------|
| Partition coefficient n-octanol/water (Log Pow) | 3.69 |
|-------------------------------------------------|------|

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

14.1 UN number

| | |
|---------------|-----------|
| UN-No. (ADR) | : UN 1760 |
| UN-No. (IMDG) | : UN 1760 |
| UN-No. (IATA) | : UN 1760 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.2. UN proper shipping name

| | |
|---------------------------------------|--------------------------------------------------------------------|
| Proper Shipping Name (ADR) | : CORROSIVE LIQUID, N.O.S. |
| Proper Shipping Name (IMDG) | : CORROSIVE LIQUID, N.O.S. |
| Proper Shipping Name (IATA) | : Corrosive liquid, n.o.s. |
| Transport document description (ADR) | : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III, (E) |
| Transport document description (IMDG) | : UN 1760 CORROSIVE LIQUID, N.O.S. (SODIUM HYDROXIDE), 8, III |
| Transport document description (IATA) | : UN 1760 Corrosive liquid, n.o.s., 8, III |

14.3. Transport hazard class(es)

ADR

| | |
|----------------------------------|-----|
| Transport hazard class(es) (ADR) | : 8 |
| Danger labels (ADR) | : 8 |



IMDG

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IMDG) | : 8 |
| Danger labels (IMDG) | : 8 |



IATA

| | |
|-----------------------------------|-----|
| Transport hazard class(es) (IATA) | : 8 |
| Danger labels (IATA) | : 8 |



14.4. Packing group

| | |
|----------------------|-------|
| Packing group (ADR) | : III |
| Packing group (IMDG) | : III |
| Packing group (IATA) | : III |

14.5. Environmental hazards

| | |
|-------------------------------|------------------------------------------|
| Dangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | : No supplementary information available |


14.6. Special precautions for user

Overland transport

| | |
|-----------------------------------------------------------|---------------------------|
| Classification code (ADR) | : C9 |
| Special provisions (ADR) | : 274 |
| Limited quantities (ADR) | : 5I |
| Excepted quantities (ADR) | : E1 |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 |
| Mixed packing provisions (ADR) | : MP19 |
| Portable tank and bulk container instructions (ADR) | : T7 |
| Portable tank and bulk container special provisions (ADR) | : TP1, TP28 |
| Tank code (ADR) | : L4BN |
| Vehicle for tank carriage | : AT |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport category (ADR) : 3
 Special provisions for carriage - Packages (ADR) : V12
 Hazard identification number (Kemler No.) : 80
 Orange plates : 

Tunnel restriction code (ADR) : E
 EAC code : 2X
 APP code : B

Transport by sea

Special provisions (IMDG) : 223, 274
 Limited quantities (IMDG) : 5 L
 Excepted quantities (IMDG) : E1
 Packing instructions (IMDG) : P001, LP01
 IBC packing instructions (IMDG) : IBC03
 Tank instructions (IMDG) : T7
 Tank special provisions (IMDG) : TP1, TP28
 EmS-No. (Fire) : F-A
 EmS-No. (Spillage) : S-B
 Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
 PCA Limited quantities (IATA) : Y841
 PCA limited quantity max net quantity (IATA) : 1L
 PCA packing instructions (IATA) : 852
 PCA max net quantity (IATA) : 5L
 CAO packing instructions (IATA) : 856
 CAO max net quantity (IATA) : 60L
 Special provisions (IATA) : A3
 ERG code (IATA) : 8L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
 Contains no substance on the REACH candidate list
 Contains no REACH Annex XIV substances
 Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.
 Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

| Detergent Regulation (648/2004/EC): Labelling of contents: | |
|------------------------------------------------------------|-------|
| Component | % |
| anionic surfactants | 5-15% |
| non-ionic surfactants | <5% |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.1.2. National regulations

United Kingdom

British National Regulations

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.
Detergent Regulation (648/2004/EC).

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | |
|-------------------------------------|-----------------------------------------------------------------|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1, Sub-Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---------------------------------------------------------------------------------------------------------------------------|------|--------------------|
| Skin Corr. 1B | H314 | Calculation method |
| Eye Dam. 1 | H318 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.