

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Revision date: 22/02/2021 Version: 10.5

Generated : 22/02/2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| Product form | : | Mixture |
|-----------------|---|----------------------|
| Trade name | : | CITRUS AIR FRESHENER |
| UFI | : | VREF-80TG-W00N-CWKV |
| Product code | : | BG040-CT |
| Type of product | : | Aerosol |
| Vaporizer | : | Aerosol |

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category Industrial/Professional use spec Use of the substance/mixture

- Professional useFor professional use only
- : air freshener

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

JANGRO LIMITED JANGRO HOUSE WORSLEY ROAD FARNWORTH BOLTON LANCASHIRE BL4 9LU UNITED KINGDOM JANGRO LTD EUROPE 6-9 TRINITY STREET DUBLIN 2 D02 EY47 EIRE Tel: 01 617 7911

1.4. Emergency telephone number

Mon to Fri 8.30am to 5.00pm - 01204 795955

Tel: 01 617 7911

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



H222;H229

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUH-statements

: EUH208 - Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|---|---------|---|
| propane substance with national workplace exposure limit(s) (IE) | (CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (REACH-no) 01-2119486944-21 | 10 – 15 | Flam. Gas 1A, H220 |
| butane substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 106-97-8 (EC-No.) 203-448-7 (EC Index-No.) 601-004-00-0 (REACH-no) 01-2119474691-32 | 5 – 10 | Flam. Gas 1A, H220 Press. Gas |
| propan-2-ol; isopropyl alcohol; isopropanol substance with national workplace exposure limit(s) (IE, GB) | (CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25 | 1 – 5 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| (R)-p-mentha-1,8-diene; d-limonene | (CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7 (REACH-no) 01-2119529223-47 | 0.1 – 1 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H-statements: see section 16

SECTION 4: First aid measures

| 4.1. Description of first aid measures | |
|--|--|
| First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact | Get medical advice/attention if you feel unwell. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Take off contaminated clothing. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Capting include the present of the present of the present and easy to do. Capting include the present of the presen |
| First-aid measures after ingestion 4.2. Most important symptoms and effect | to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. s, both acute and delayed |
| Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion | Not expected to present a significant hazard under anticipated conditions of normal use. High concentration of vapours may induce: headache, nausea, dizziness. Repeated exposure may cause skin dryness or cracking. Causes eye irritation. May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| SECTION 5: Firefighting measures | | |
|--|--|--|
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. | |
| 5.2. Special hazards arising from the substance or mixture | | |
| Fire hazard Explosion hazard | Extremely flammable aerosol.Explosion risk in case of fire. | |
| 5.3. Advice for firefighters | | |
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. | |

| SECTION 6: Accidental release measures | | |
|--|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | |
| General measures | : Remove ignition sources. | |
| 6.1.1. For non-emergency personnel | | |
| Emergency procedures | : Evacuate unnecessary personnel. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Use personal protective equipment as required. | |
| 6.2. Environmental precautions | | |
| Avoid release to the environment. | | |
| 6.3. Methods and material for containment and cleaning up | | |
| For containment Methods for cleaning up | Collect spillage.Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. | |
| 6.4. Reference to other sections | | |

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

| SECTION 7: Handling and storage | | |
|--|--|--|
| 7.1. Precautions for safe handling | | |
| Additional hazards when processed Precautions for safe handling Hygiene measures | Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product. | |
| 7.2. Conditions for safe storage, including any incompatibilities | | |
| Technical measures Storage conditions | Does not require any specific or particular technical measures. Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. | |
| Incompatible products Incompatible materials Special rules on packaging | Oxidizing agent. Strong acids. Strong bases. Direct sunlight. Heat sources. Sources of ignition. Keep only in original container. | |
| 7.3. Specific end use(s) | | |

No additional information available

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| propane (74-98-6) | | |
|--|----------|--|
| Ireland - Occupational Exposure Limits | | |
| Local name | Propane | |
| OEL TWA [2] | 1000 ppm | |
| Notes (IE) | Asphx | |

| propan-2-ol; isopropyl alcohol; isopropanol (67-63-0) | | |
|---|---|--|
| Ireland - Occupational Exposure Limits | | |
| Local name | Isopropyl alcohol | |
| OEL TWA [2] | 200 ppm | |
| OEL STEL [ppm] | 400 ppm | |
| Notes (IE) | Sk | |
| Regulatory reference | Code of Practice for the Chemical Agents Regulations 2018 | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Propan-2-ol | |
| WEL TWA (OEL TWA) [1] | 999 mg/m³ | |
| WEL TWA (OEL TWA) [2] | 400 ppm | |
| WEL STEL (OEL STEL) | 1250 mg/m ³ | |
| WEL STEL (OEL STEL) [ppm] | 500 ppm | |
| Regulatory reference | EH40/2005 (Third edition, 2018). HSE | |

| butane (106-97-8) | | |
|---|--|--|
| Ireland - Occupational Exposure Limits | | |
| Local name | Butane | |
| OEL TWA [2] | 1000 ppm | |
| United Kingdom - Occupational Exposure Limits | | |
| Local name | Butane | |
| WEL TWA (OEL TWA) [1] | 1450 mg/m ³ | |
| WEL TWA (OEL TWA) [2] | 600 ppm | |
| WEL STEL (OEL STEL) | 1810 mg/m ³ | |
| WEL STEL (OEL STEL) [ppm] | 750 ppm | |
| Remark (WEL) | Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene) | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

| Eye protection: | |
|---|--|
| Not required for normal conditions of use | |

8.2.2.2. Skin protection

Skin and body protection:

Not required for normal conditions of use

Hand protection:

In case of repeated or prolonged contact wear gloves

| Other skin protection Materials for protective clothing: | |
|---|---|
| Not required for normal conditions of use | - |
| 8.2.2.3. Respiratory protection | |

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | : Liquid |
|--|---------------------|
| Appearance | : Aerosol. |
| Colour | : Colourless. |
| Odour | : sharp. |
| Odour threshold | : No data available |
| рН | : 7 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| Relative vapour density at 20 °C | : No data available |

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Relative density | : 0.81 |
|---|---------------------|
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |
| | |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Direct sunlight. Heat. Open flame.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) | : | Not classified Not classified Not classified |
|---|---|--|
| Skin corrosion/irritation | : | Not classified pH: 7 |
| Serious eye damage/irritation | : | Not classified pH: 7 |
| Respiratory or skin sensitisation | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | Not classified |
| Reproductive toxicity | : | Not classified |
| STOT-single exposure | : | Not classified |

| propan-2-ol; isopropyl alcohol; isopropanol | | |
|---|------------------------------------|--|
| STOT-single exposure | May cause drowsiness or dizziness. | |
| STOT-repeated exposure : | Not classified | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Aspiration hazard : | Not classified |
|----------------------|----------------|
| CITRUS AIR FRESHENER | |
| Vaporizer | Aerosol |

| SECTION 12: Ecological information | | |
|---|----------------------------------|--|
| 12.1. Toxicity | | |
| (acute) | Not classified Not classified | |
| propan-2-ol; isopropyl alcohol; isopropanol (6 | i7-63-0) | |
| LC50 - Fish [1] | 9640 mg/l | |
| EC50 - Other aquatic organisms [1] | 13299 mg/l waterflea | |
| EC50 - Other aquatic organisms [2] | > 1000 mg/l | |
| 12.2. Persistence and degradability | | |
| No additional information available | | |
| 12.3. Bioaccumulative potential | | |
| propan-2-ol; isopropyl alcohol; isopropanol (6 | i7-63-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 0.05 | |
| 12.4. Mobility in soil | | |
| No additional information available | | |
| 12.5. Results of PBT and vPvB assessment | | |
| No additional information available | | |
| 12.6. Other adverse effects | | |
| No additional information available | | |
| SECTION 13: Disposal considerations | | |
| 13.1. Waste treatment methods | | |
| Product/Packaging disposal recommendations : Do not pierce or burn, even after use. | | |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

| 14.1 UN number |
|--|
| UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) |

BG040-CT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| - | |
|--|--|
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) | AEROSOLS AEROSOLS Aerosols, flammable UN 1950 AEROSOLS, 2.1, (D) UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1 |
| 14.3. Transport hazard class(es) | |
| ADR Transport hazard class(es) (ADR) Danger labels (ADR) | : 2.1 : 2.1 |
| | 3 |
| IMDG Transport hazard class(es) (IMDG) Danger labels (IMDG) | : 2.1 : 2.1 |
| | |
| IATA Transport hazard class(es) (IATA) Danger labels (IATA) | : 2.1 : 2.1 |
| | |
| 14.4. Packing group | |
| Packing group (ADR) Packing group (IMDG) Packing group (IATA) | Not applicable Not applicable Not applicable |
| 14.5. Environmental hazards | |
| Dangerous for the environment Marine pollutant Other information | No No No supplementary information available |
| 14.6. Special precautions for user | |
| Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Special packing provisions (ADR) Mixed packing provisions (ADR) Transport category (ADR) Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading | 5F 190, 327, 344, 625 11 E0 P207, LP200 PP87, RR6, L2 MP9 2 V14 CV9, CV12 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Special provisions for carriage - Operation (ADR) Tunnel restriction code (ADR) | : S2 : D |
|--|-------------------------------|
| Transport by sea | |
| Special provisions (IMDG) | : 63, 190, 277, 327, 344, 959 |
| Limited quantities (IMDG) | : SP277 |
| Excepted quantities (IMDG) | : E0 |
| Packing instructions (IMDG) | : P207, LP200 |
| Special packing provisions (IMDG) | : PP87, L2 |
| EmS-No. (Fire) | : F-D |
| EmS-No. (Spillage) | : S-U |
| Stowage category (IMDG) | : None |
| Air transport | |
| PCA Excepted quantities (IATA) | : E0 |
| PCA Limited quantities (IATA) | : Y203 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 203 |
| PCA max net quantity (IATA) | : 75kg |
| CAO packing instructions (IATA) | : 203 |
| CAO max net quantity (IATA) | : 150kg |
| Special provisions (IATA) | : A145, A167, A802 |
| ERG code (IATA) | : 10L |
| | |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

IBC code

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Flam. Gas 1A | Flammable gases, Category 1A | |
| Flam. Liq. 2 | Flammable liquids, Category 2 | |
| Flam. Liq. 3 | Flammable liquids, Category 3 | |
| Press. Gas | Gases under pressure | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
|---------------|--|--|
| Skin Sens. 1 | Skin sensitisation, Category 1 | |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis | |
| H220 | Extremely flammable gas. | |
| H222 | Extremely flammable aerosol. | |
| H225 | Highly flammable liquid and vapour. | |
| H226 | Flammable liquid and vapour. | |
| H229 | Pressurised container: May burst if heated. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H336 | May cause drowsiness or dizziness. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| EUH208 | Contains (R)-p-mentha-1,8-diene; d-limonene. May produce an allergic reaction. | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|-----------|-----------------------|
| Aerosol 1 | H222;H229 | On basis of test data |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.